

Guideline for implementation of the scheme for Revenue Enhancement through Increased Sale to the Industries Supplied at 33 KV and 132 KV under WBSEDCL through Rationalization

Sl. No	Issue	Observation
1	<p>If new industries, industries under revival stage and existing industries who reduced their contractual load after 31/03/2016 up to the date of effect of the scheme fail to attend the stipulated benchmark of 35% increase of base load / base consumption and not achieving load factor above 65%, the scheme will be revoked.</p> <p>" In such scenario, whether the entire amount of rebate provided during last six months would be realized from consumer at one go followed by discontinuance of the scheme."</p>	The entire amount of rebate provided to the consumer in last six months shall be realized at one go in seventh month's energy bill.
2	<p>Whether only Industries with new CIN No. applied for new connection will be treated as New Industries, or</p> <p>Terminated / Deemed terminated consumer applied for new connection will also be treated as New Industries.</p> <p>[Some closed industries are insisting for coming as new industry]</p>	Decision will be taken on case to case basis based on application of closed industries who desire to come as "New Industry".
3	<p>Exemption in demand charge for additional drawal upto 50% during off peak to the industries supplied at 33 KV and 132 KV.</p> <p>Whether such exemption in demand charge will be applicable to the industries supplied at 33 KV but having contractual load less than 1.5 MVA.</p> <p>[Please note as per circular minimum contractual load for 33 KV should be 1.5 MVA]</p>	It may be allowed to all 33 KV industrial consumers irrespective of contractual load to increase off-peak drawal as measure of demand side management.
4	<p>Whether the consumer who reduced their contract demand after 31/03/2016 have to attain both 75% of contract demand as on 31/03/2016 and 1.5 MVA minimum.</p>	Consumer has to attain both.
5	<p>Whether Additional Load Factor Rebate for increase of contractual load as on 31/03/2016 / Avg. consumption for 2015-16 beyond 50% as per main scheme shall be applicable for the existing consumer who reduce their contractual load after 31/03/2016 but agreed to enhance contractual load more than 75%</p>	May be allowed to avail the main scheme of the existing consumer provided the contractual load is increased to the level of contractual load as on 31/03/2016. In such case, base consumption will be the monthly average consumption of 2015-16.