

West Bengal State Electricity Distribution Company Ltd.

(A Government of West Bengal Enterprise)

Office of the Project Site-In-Charge PURULIA PUMPED STORAGE PROJECT

Telephone:03252-250201 E-Mail: ppspsite@yahoo.com Bagmundi Purulia-723152

NOTICE INVITING TENDER

NIT NO.- WBSEDCL/PPSP SITE/PROCUREMENT/OPH/TENDER/21-22/74/89

Date- 06/05/21

West Bengal State Electricity Distribution Company Ltd. (WBSEDCL) invites sealed quotation from bonafied, experience and resourceful agencies for **Supply and Delivery of different types of wiring materials** at Purulia Pump Storage Site.

- 1) <u>Name & Scope of Work</u>: Supply and Delivery of different types of wiring materials at Purulia Pump Storage Site, Bagmundi, Purulia within stipulated time period.
- 2) **Quantity and Specification**: Quantity and Description of different type of wiring materials as mentioned in **Annexure-I.**
- 3) <u>Mode of Submission</u>: The Bidder shall submit offer duly signed and filled in with their letter head superscribing the NIT No. Name of the Tender and "Date & Time of opening of the Tender". The Bidder may submit their offer by post or by submitting their offer by hand at the receive section at-

"The Office Of The Addl. C.E & PSIC, Purulia Pumped Storage Project Site,"

WBSEDCL.

Pathardih, Bagmundi,

Purulia, West Bengal.

PIN-723152.

- 4) <u>Place and time of Submission of offer</u>: The sealed offer will be received at the Office of The Addl.C.E & Project Site –In- Charge, Purulia Pumped Storage Project Site, WBSEDCL, Bagmundi, Purulia, West Bengal, during office hours on all working days except Sunday and Holidays.
- 5) End time of submission of offer: Up to 12:00 hrs Dated 25:05:2021.
- 6) <u>Place, Date & Time for opening of Offer</u>: The Office of the Addl.C.E & Project Site –In- Charge, Purulia Pumped Storage Project Site, WBSEDCL, Bagmundi, Purulia West Bengal on 25.05.2021 at 12:30 Hrs.
- **7)** <u>Estimated Cost</u>: Rs 484038.00 (Rupees Four Lakh Eighty Four Thousand Thirty Eight) only excluding GST.
- 8) Availability of Copy of Tender:

a) WBSEDCL official Website: www.wbsedcl.in

b) Office of the Chief Engineer & Project Manager, PPSP HQ, WBSEDCL, Vidyut Bhavan, Salt Lake City, Kolkata, West Bengal PIN: 700091

c) Office of Addl. Chief Engineer & Project Site- in-Charge, PPSP Site, WBSEDCL, Bagmundi Dist: Purulia, West Bengal PIN: 723152

d) Contact Person, If any clarification is needed: Mr. D. Murmu, Divisional Engineer (Electrical), OPH, PPSP Site(Mob No:-8170043823)

Terms & Conditions:

- I. <u>Delivery Period</u>: Within 30 (Thirty) days from the date of issuance of the order.
- II. <u>Place of Delivery</u>: The materials will be delivered at PPSP Site Store, WBSEDCL, Bagmundi, Purulia.

Registered Office: "VidyutBhavan", Bidhannagar, Block - DJ, Sector - II, Kolkata - 700 091

Telephones: 033 2359 1930 to 1940, Fax: 033 2359 1954 CIN: U40109WB2007SGC113473, Web: www.wbsedcl.in

WBSFITTI



- III. **Price:** Price should be firm inclusive of all incidental charges. GST value and percentage to be written separately in quotation. However GST will be applicable as per law of land at the time of placement of order .STDS and GST to be deducted as per norms.
- IV. <u>Controlling Officer</u>: The Additional Chief Engineer & PSIC, PPSP Site, Bagmundi, Purulia shall be The Controlling Officer.
- V. <u>Supervising Officer</u>: The Superintending Engineer (Electrical), O.P.H., PPSP Site, Bagmundi, Purulia or his Authorized representative Shall be The Supervising Officer.
- VI. Payment: 100% Payment will be made within 45 (Forty Five) Days after successful delivery of materials and sample checking. Materials will be received at site through raising Store Receipt Voucher (SRV). Bills in triplicate along with challan in triplicate and advance pre-receipt copy with revenue stamp must be given by the Agency at time of delivery. In case of part delivery of materials payment will be made accordingly. Payment will be made through R.T.G.S/N.E.F.T (R.T.G.S/N.E.F.T charge to be borne by the Agency).
- VII. Agency to provide Invoice with following details: (1) GSTIN, 2) Invoice No. of Supplier/
 Service Provider, 3) Rate of Tax, 4) Taxable Value 5) IGST/ SGST/CGST, 6) Region code, 7)
 HSN/ SAC code, 8) Description as per HSN/ SAC code 9) Tax Invoice.
- VIII. FOR: Bagmundi, Purulia.
- IX. <u>Packing & Forwarding</u>: The Material should be duly packed taking all reasonable precaution to protect the materials against damage and loss during transit.
- X. <u>Liquidate Damages</u>: Liquidate damages for delay in Completion of work @1/2 % (half percent) of value of material for each week delay or part thereof up to ten(10) weeks and @1% of the order value per week or part thereof beyond ten (10) weeks subject to maximum limit of 10% (Ten percent) will be deducted from your bill.
- XI. Additional Liability: The WBSEDCL shall not take any additional liability towards enhanced Taxes, Duties and price variation beyond the scheduled delivery period as incorporated The Purchase Order, if the delay is due to any failure on the part of the agency.
- XII. <u>Guarantee/Warranty</u>. Original manufacturer guarantee/warranty or 12 months whichever is greater is to be provided for equipment and material. In case the supply materials are beyond our specification or found defective/damage /broken within declared Guarantee/Warranty period from the date of delivery of the item, the same should be replaced by you at your own cost and responsibility.
- XIII. <u>PAN/GST NO</u>: Bank Details with cancelled cheque is to be provided. GSTIN acknowledgement of registration is to be provided & STDS will be deducted as per norms.
- XIV. <u>Validity</u>. The offer must remain valid for **120 (One Hundred Twenty) days** from the date of opening of the Tender.
- XV. **Rejection**: : WBSEDCL reserve the right to reject any or all offer at its own direction without assigning any reason whatsoever and do not blind itself to accept the lowest bidder.
- XVI. Risk purchase clause & Force majeure: will be applicable as per norms of WBSEDCL.

Registered Office: "VidyutBhavan", Bidhannagar, Block – DJ, Sector – II, Kolkata – 700 091 Telephones: 033 2359 1930 to 1940, Fax: 033 2359 1954 CIN: U40109WB2007SGC113473, Web: www.wbsedcl.in





XVII. **Evaluation of Bid**: Offer will be evaluated on item wise lowest offer

Note:-

* Any Offer submitted after the expiry of the time prescribed for submission or incomplete in any respect shall be rejected. Late receipt of Offer in case of postal delivery will not be considered. Offer by FAX/E-mail will not be accepted.

Overwriting is not allowed.

Quantity may be increased or decreased subject to discretion of WBSEDCL.

* Interested vendors are requested to submit their offer against all enlisted items, i.e. Annexure-I. otherwise the submitted offer will be treated as cancelled, even after opening of the offer.

(Arindam Sarkar)
Additional Chief Engineer & PSIC,
PPSP Site, WBSEDCL
Bagmundi, Purulia

Memo No.: WBSEDCL/PPSP SITE/PROCUREMENT/OPH/TENDER/21-22/

Copy forwarded to for information and necessary action:

1. The Chief Engineer & Project Manager, PPSP, WBSEDCL, Vidyut Bhavan, Kolkata-700091.

2. The Superintending Engineer (Electrical), O.P.H., PPSP Site, WBSEDCL, Bagmundi, Purulia-723152.

3. The Manager (HR&A), PPSP Site, WBSEDCL, Bagmundi, Purulia-723152.

4. The Assistant Manager (F&A), PPSP Site, WBSEDCL, Bagmundi, Purulia-723152.

5. The Junior Manager (Store), PPSP Site, WBSEDCL, Bagmundi, Purulia-723152.

Notice Board.

(Arindam Sarkar)
Additional Chief Engineer & PSIC,
PPSP Site, WBSEDCL
Bagmundi, Purulia



Annexure- I Memo No. WBSEDCL/PPSP Site/ Procurement/ OPH/ Tender/21-22/

Date:

Schedule of item for Supply and delivery of different type of wiring materials at Purulia Pumped Storage Project Site. Description of SI no Specification Make HS Unit Total Requ Uni **GST** Item N irme price t Co nt pri includi de Ouan ce ng tity **GST** Switch Socket Current Rating-10/20A, Anchor Nos 200 combine with 240Volt AC, 5-in-1, with box, Junction Box Socket with Safety Shutter. Material-PVC 2 Plastic Board Size-4"X4", Color-white, Pesto 100 Nos 4"X4" Material-PVC PluS/Pra pti/Sinte 3 PVC flexible wire Length-90mtr, voltage Grade-Anchor/f Coil 1100V, Type of insulation-FR. 1.0 inolex/ha Sqmm(90mtr/Coil Single core(Unsheathed) vells Cable, Copper Strainded, Size-1.5Sqmm PVC flexible wire Length-90mtr, voltage Grade-Anchor/f Coil 12 1100V, Type of insulation-FR. inolex/ha Sqmm(90mtr/Coil Single core(Unsheathed) vells Cable, Copper Strainded, Size-1.5Sqmm 5 PVC flexible wire Length-90mtr, voltage Grade-Anchor/f Coil 4.0 1100V, Type of insulation-FR, inolex/ha Sqmm(90mtr/Coil Single core(Unsheathed) vells Cable, Copper Stranded, Size-4.00 Sgmm 6 Electronics Suitable for 4 feet, 20-40 watt Phillips/ Nos 180 Ballast LED retrofit T8 tubelight, Havells/ instant start method, workable **CGL** voltage-230V,(120-270 V) AC, Power Factor:≥0.90 to 50°C, Material-Polycabonate, Colour-white LED Tube light 1800 Lm, 18W, Length-1.15 Phillips/ Nos 340 set (box type), 4 ft Havells/ LED type CGL 8 Submersible 2.5 Sqmm, 3 core, colour-Anchor/ Coil 8 pump Cable Black, Copper Strainded, Havells/ submersible, voltage grade-Finolex 1100V, shape- flat, length-

Registered Office: "VidyutBhavan", Bidhannagar, Block - DJ, Sector - II, Kolkata - 700 091

Telephones: 033 2359 1930 to 1940, Fax: 033 2359 1954 CIN: U40109WB2007SGC113473, Web: www.wbsedcl.in



should have 100mtr in a coil,

Sheathed With PVC



SI no	Description of Item	Specification	Make	HS N Co de	Unit	Requirme nt Quan	Uni t pri ce	GST	Total price includ ng
9	Analog Time Switch	24 Hour Analoge Time switch, Installatio type-DIN Rail, Voltage:240VAC,Freqency-50/60Hz, Contact Rating-16A/250V AC,(Resistive),Time accuracy ≤1 s/day Quartz, IP-20, should have 24 Hour Line Description, should have Sealable cover to prevent unauthorized access so that there is no tampering with program settings, Permanent ON/AUTO/OFF, IEC60730-1/IEC60730-2-7	L&T/Ha vells		Nos	26			GST
10	Main switch	Rated current-32 A. Rated Voltage-415 V AC, three Phase, 3 pole, Type- Rewirable switch fuse unit, ISI Marked, CRCA sheet steel enclosure, duly perpetrated & Powder coated, IP 43	Havells/ Legrand/ Anchor		Nos	10			
11	Main Switch	Rated current-63 A. Rated Voltage-415 V AC, three Phase, 3 pole, Type- Rewirable switch fuse unit, ISI Marked, CRCA sheet steel enclosure, duly perpetrated & Powder coated, IP 43	Havells/ Legrand/ Anchor	2	Nos	10			
12	Street Light Cut out	Rated current-2A, Voltage-240V Compact in sizes to fit in standard size tabular poles, Suitable for 2, 3, 4 and Core Cables, Non-hygroscopic, anti tracking and high impact strength mouldings for terminals and fuse holders, Enclosure made of CRCA Sheet Steel duly pretreated and powder coated, Terminals are suitable to accommodate upto 35mm Sq. Cable, water proof, Provided side glands for outgoing Circuit, Suitable for Two pole MCB, ISI Marked,	Legrand/ Sintex/H avells		Nos	100			

Registered Office: "VidyutBhavan", Bidhannagar, Block – DJ, Sector – II, Kolkata – 700 091
Telephones: 033 2359 1930 to 1940, Fax: 033 2359 1954
CIN: U40109WB2007SGC113473, Web: www.wbsedcl.in





Sl no	Description of Item	Specification	Make	HS N Co de	Unit	Requirme nt Quantity	Uni t pri ce	GST	Total price includi ng GST
13	PVC Saddle clamp	Size-1", Material-PVC, Color- white, for electrical wiring, shape-semicircle(containing 100 pieces)	Finolex/ Anchor	2	pkt	10			
14	PVC Saddle clamp	Size-1/2", Material-PVC, Color-white, for electrical wiring,shape- semicircle(containing 100 pieces)	Finolex/ Anchor	2010 1.7.199aas 173 (470a	pkt	10			
15	2.5 Sqmm Copper socket	bottle, heavy duty lugs, crimping type lugs terminal	Dowells/ Joint well		Nos	200			
16	4.0 Sqmm Copper socket	Ring, Light duty lugs, crimping type lugs terminal	Dowells/ Joint well		Nos	190			
17	4.0 Sqmm Copper socket	bottle, heavy duty lugs, crimping type lugs terminal	Dowells/ Joint well	1	Nos	200		s	2
18	6.0 Sqmm Copper socket	Bottle, heavy duty lugs, crimping type lugs terminal	Dowells/ Joint well	0	Nos	200			
19	10.00 sqmm Copper socket	Ring, Light duty lugs, crimping type lugs terminal	Dowells/ Joint well		Nos	190			
20	10.00 sqmm Copper socket	Bottle, Light duty lugs, crimping type lugs terminal	Dowells/ Joint well		Nos	200		2	
21	10.00 sqmm Copper socket	Fork type, Light duty lugs, crimping type lugs terminal	Dowells/ Joint well		Nos	200			
22	Calling bell	240V, Ding Dong , Door bell,multiple tone	Anchor/ Orient/Pa nasonic		Nos	50			
23	Ceiling Light	LED ,12 W,white ,round type,240V AC	Philips/H avells/Or ient/simo co		Nos	50		и	
24	Switch 5/6 A	5/6A, 240V AC, white, non modular	Anchor/h avells		Nos	360			
25	Switch 16 A	16A, 240V AC, white, non modular	Anchor/h avells		Nos	100			

Registered Office: "VidyutBhavan", Bidhannagar, Block – DJ, Sector – II, Kolkata – 700 091

Telephones: 033 2359 1930 to 1940, Fax: 033 2359 1954

CIN: U40109WB2007SGC113473, Web: www.wbsedcl.in





Sl no	Item	Specification	Make	HS N Co de	Unit	Requirme nt Quantity	Uni t pri ce	GST	Total price includi ng GST
26	Switch 6 A	6A, 240V AC, white, modular type	Anchor/h avells/Cr abtree	5	Nos	50		0	Gol
27	Electronic Fan Regulator	240V, Size-Switch, non modular, suited for ceiling fan for smooth Low and high speed	Anchor/h avells/Cr abtree		Nos	100		-	
28	Bell push switch 6A	6A.240V,1 way bell push switch, Colour-white, modular suittable for outdoor calling bell	Anchor/h avells/Cr abtree/R EO		Nos	20		,	
29	Bell push switch 6A	6A.240V,1 way bell push switch, Colour-white, non - modular suittable for outdoor calling bell	Anchor/h avells/Cr abtree/R EO		Nos	59		× ×	
30	Encloser Box for Double pole MCB	suitable for DP MCB, Material- Metal sheet, ISI Mark	Legrands /havells/ Crabtree/ REO			100			
31	Electronic Fan Regulator,modula r type	240V, 1M, modular type, ceiling fan regulator, colourwhite, PVC	Havells, Crabtree	a a	Nos	20			
32	Key Tag switch	20A DP, Energy Saving Swithch with key tag 3M	Havells, Crabtree		Nos	10	. В		
33	Anchor Bolt	Size-2", Stainless Steel, For use in concrete wall	Reputed		Nos	150			

(Arindam Sarkar) Addl.C.E & PSIC, PPSP Site, WBSEDCL Bagmundi, Purulia