

WestBengalStateElectricityDistributionCompanyLimited (AGOVT.OFWESTBENGALENTERPRISE) OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWIP

(AGOVT.OF WESTBENGALENTERPRISE)
OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWIP
33/11KVSUB-STATIONCOMPLEX, GANESHPUR3^{RO}GHERI,KAKDWIP
24PARGANAS(SOUTH)-743347(W.B)
E-MailID-dm.kakdwip@wbsedcl.inMob
No.: 8900798280

CorporateIdentityNo.(UN):U40109WB2007SGCI13473,Web:www.wbsedcl.in

NOTICE INVITING E-TENDER

NITNo.:KD/E-TENDER/MAT/23-24/1618

Date:23.11.2023

TenderisinvitedbytheDivisionalManager,KakdwipDivision.WBSEDCL,Kakdwip33/11KVSub-StationComplex,Ganeshpur 3rdGheri, Kakdwip, 24 Parganas (South) -743347(W.B) through electronic tendering(etendering)frommanufacturers/Distributors forsample approval,supply& deliveryofthefollowingitemasperschedule detailed below.

Sl	DescriptionoftheItem	Estimated	Earnest	Completion	Name&addressofthe
No		Cost	Money	Time	ConcernedOffice
1	Supplyanddeliveryof: 1. 15 nos 200A/415V/4 POLECHANGEOVER SWITCH of L&T/ HAVELLS/FLORAMAKE 2. 30 nos LT DISTRIBUTION KIOSK FOR 100 KVA TRANSFORMER WITH EMBOSSING 3. 20 nos LT DISTRIBUTION KIOSK FOR 63 KVA TRANSFORMER WITH EMBOSSING	605,175.00 (Sixlakhs five thousand andone hundred seventyfive only)	12,104.00 (Twelve thousand one hundred andfour only)	Delivery within7 daysafter placement ofpurchase order.	KakdwipDivisionalOffice, WBSEDCL: Ganeshpur3rd gheri, PO+PS- Kakdwip, Pin743347 Telephoneno:-03210- 255232 E-mail: dm.kakdwip@wbsedcl.in

Scope: The materials are procured for Kakdwip Division. The supplyof the materials will be directly at Kakdwip Divisional Store, Kakdwip 33/11 KVSub-Station Complex, Ganeshpur 3rd Gheri, Kakdwip, 24 Parganas (South) - 743347 (W.B). Necessary Challan, E-way Bills are to be provided at Kakdwip Divisional Store.

TimeLine:

Sl. No.	Particulars	Date&Time
1	DateofuploadingofN.I.TandTenderDocuments (online)[Publishingdate]	01.12.23at11.00Hrs
2	Documentssell/downloadstartdate(online)	01.12.23at15.00Hrs
4	Bid Submissionuploadstartdate(online)	01.12.23at15.00Hrs
5	Documentssell/downloadenddate(online)	07.12.23at15.00Hrs
6	BidSubmissionuploadenddate(online)	07.12.23at15.00Hrs
7	LastDateofsubmissionofEarnestMoneyDeposit(online)	07.12.23at15.00Hrs
8	Dateforopening of Technical bid(online) for the Bidders	11.12.23 at 11.00 Hrs
9	DateofuploadingtheFinalListofTechnicallyQualified BiddersafterTechnicalBidEvaluation(online).	Tobeintimatedlater
10	DateforopeningofFinancialBid(online).	Tobeintimatedlater

 $Intending bidders desirous of participating in the tender are to log onto the website \underline{httos://wbtenders.gov.in} for the tender. The$

tendercan besearchedbytypingWBSEDCLin thesearch Engine providedinthe website. Bidders willingtotakepart in the process of e-tenderingarerequiredtoobtain Digital Signature Certificate (DSC) inthenameof person whowill signthetender, from any authorized Certifying Authority (CA) under CCA, Govtof India (viz.n Code Solution, Safescrypt, e-Mudhra). DSC is given as a USB e-Token. After obtaining the Class 20 r Class 3 Digital Signature Certificate (DSC) from the approved Certifying Authority they are required to register the fact of possessing the Digital Signature Certificates through the registration system available in the website.

TendersaretobesubmittedonlineandintendingbiddersaretodownloadthetenderdocumentsfromtheWebsite statedabove. This is the onlymode of collection of tender documents. Details of submissionProcedureis givenin "InstructionstoBidders"



WestBengalStateElectricityDistributionCompanyLimited

OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWIP
33/11KVSUB-STATIONCOMPLEX, GANESHPUR3^{RU}GHERI,KAKDWIP
24PARGANAS(SOUTH)-743347(W.B) E-MailID- dm.kakdwip@wbsedcl.in CorporateIdentityNo.(UN):U40109WB2007SGCI13473,Web:www.wbsedcl.in

Terms&conditionsoftheTenderNotice:

- 1. EarnestMoneyDepositamountingto2%(TwoPercent) of the totalEstimatedCost.As mentionedabove, $shall be submitted individually along with the offer. Necessary earnest money may be remitted through online \ mode.$
- The bidders hall submit along with the offernecessary documents in support of their previous supply, of the itemsofthetendertoWBSEDCLinearlier.Occasionsandfinancialcapabilitiestotheextentoftheestimated financialamount oftheiroffer.
- **3.** Noagent is allowed to participate in the Tender.
- WBSEDCLreservesitsrighttotakedecisionkeepingitsfinancialinterest. The Purchase Policy of WBSEDCL alongwiththeprovisions of VendorRating & Holiday Listing, as effective from 01.09.2012 and the subsequent amendment effective from 18.03.2013 will be applicable.
- If the offer is submitted without or in a dequate Earnest Money, the bid will not be opened. In case of incomplete offer, the tender will be liable for rejection and Earnest Money Deposit will be for feited.
- One SampleofEachMaterialisto besubmittedatKakdwip DivisionalStore,Kakdwip 33/11KVSub-Station Complex, Ganeshpur 3 rd Gheri, Kakdwip 24 Parganas (South) - 743347 (W.B), physically within the action of the complex of the complclosingdateoftender. The tag with the sampleshould contain the name of the vendor/bidder. For a valid tender, sample has to be approved by the Divisional Authority. The approval or rejection of sample will be communicated via mail/electronically subsequently. The technical evaluation of the bidders, whose samples aren't approved, will not be opened&henceforththeywillbedeemeddisqualified.RejectedSamplescanbetakenaway.After POis awarded,theawardeescanadjustthesamplewiththedeliveredmateriallot&theremaining materialscanbetakenbackbytherespectivevendors.
- Vendor/Biddershoulddeclareintheircompany's letterheadduring the time of bidding, that delivery shouldbe madewithin7days of issuance of purchase order.
- Vendor/Biddershouldbetheauthorizeddealerandnecessarydocumentshouldbesubmittedduringthe time ofbidding.
- EmbossingonDTRkioskwillbe informedafter placementofPurchaseorder.
- 10. Theoffershallremainvalidfor aminimumperiodof90daysfromthenextdayofopeningoftheTender.
- 11. The quoted rates should be inclusive of all taxes & duties, freight and incidental charges. The quoted rateshouldbeexcludingGSTcharges.GSTwillbepaidasapplicable.
- 12. Theorderedmaterials should be delivered & installed within 15 days from the date of PO; otherwise penalty maybeimposedasperruleofWBSEDCLfordelayofdeliveryoforderedmaterials.
- 13. Thenecessarydocumentsalongwithbillareto besubmittedatKakdwipDivisionalOffice.TheSRVwillbe issuedfromKakdwipDivisionalStore,WBSEDCL.
- 14. At the time of placing purchase order, the quantity mentioned in the Tender Document may vary up to +/- 25%.
- 15. AnyevidenceofunfairTradePracticesincludingovercharging,pricefixing,carteletc.asdefinedinvarious will automatically disqualify the bidders.
- 16. The companyreserves the right toaccept or reject any or all the tenders without assigninganyreason whatsoever.
- AnybidderagainstwhomFIR/ComplaintislodgedwithPolicebyWBSEDCL/OtherUtility/Govt.SemiGovt. **17.** or Govt. under taking Dept. shall not be eligible to participate in the bidding process.
- Other information as well as terms and conditions, which are not covered above, will be available in InstructionstoBidders,GeneralConditionsofContractofthistenderandtheRevisedPurchasePolicyof WBSEDCL.



WestBengalStateElectricityDistributionCompanyLimited

(AGOVT.OF WESTBENGALENTERPRISE)
OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWIP
33/11KVSUB-STATIONCOMPLEX, GANESHPUR3^{RO}GHERI,KAKDWIP
24PARGANAS(SOUTH)-743347(W.B)

<u>E-MailID-dm.kakdwip@wbsedcl.in</u>
CorporateIdentityNo.(UN): U40109WB2007SGC113473,Web: www.wbsedcl.in

B) TermsofPayment:

90% payment of bill will be made within 45 (forty five) days from the date of submission of bill against original receipted Challan/Invoices igned by the Store In-Charge attached to the respective stores and balance 10% payment will be made within 45 (forty five) days of submission of bills along with SRV after expiry of warranty period.

C) <u>WarrantyPeriod</u>: WarrantyPeriodofsuppliedmaterialwillbeoneyearfromthedateofdeliveryofthesaid materials. Incaseofanyadversereportfromstoreordefectfoundinsite, materialshavetobereplacedoritwould affect the vendor rating.

D) PayingAuthority:

Manager(F&A), Kakdwip Division, WBSEDCL, will be the Paying Authority.

E) Consignee:

ThenameoftheconsigneewillbetheStore-In-Charge, KakdwipDivisionalStore.

F) LiquidatedDamageForDelayIn Delivery:

The time of delivery (successful offer for inspection) of the equipment/materials are to be treated as an essence of the contract and the WBSEDCL reserves the right to repudiate the contract, if the equipment/materials are not physically delivered within stipulated period as perphysical delivery clause. But WBSEDCL may at his discretion waive this condition and accept the material within position of liquidated damage @1/2% of the value of the materials beyond the schedule delivery period for each week of delay Subject to maximum of 5% of the particular lot and accept the goods beyond the stipulated period.

G) Anyfurther informationalongwith WBSEDCL's Revised Purchase Policy is accessible from the Website: www.wbsedcl.inandthefollowing office:

Officeofthe Chief Engineer (Procurement & Contracts), West Bengal State Electricity Distribution Company Limited, Vidyut Bhavan, 4th Floor, Bidhannagar, Kolkata—700091, Phone No. 033-2319-7563

- H) DocumentstobesubmittedinTechnical bid-Pleaserefer sl no. 6.2of "InstructiontoBidders" of NIT.
- ${\it I)} \qquad \hbox{The specification softheitem.} \textbf{Asperspecification mentioned in BOQ\&DOC sattached to NIT.}$



WestBengalStateElectricityDistributionCompanyLimited (AGOVT.OFWESTBENGALENTERPRISE)

(AGOVT.OFWESTBENGALENTERPRISE)
OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWIP
33/11KVSUB-STATIONCOMPLEX, GANESHPUR3^{RO}GHERI,KAKDWIP
24PARGANAS(SOUTH)-743347(W.B)
E-MailID-dm.kakdwip@wbsedcl.in

CorporateIdentityNo.(UN):U40109WB2007SGCI13473,Web: www.wbsedcl.in

InstructiontoBidders

1. Eligibility for participation:

- Original manufacturers /Distributors ofthetendereditems willbeeligibleinthetender andmustsubmit Dealership Certificate inPDF format
- The biddersshouldhave credential for supplyofthe tendereditemstoWBSEDCLother Govt. Departments in earlieroccasions withinlastthreefinancialyears.

2. Generalguidancefore-Tendering:

 Instructions/Guidelinesfor electronicsubmissionofthetendershavebeenmentionedbelowfor assisting, the bidders toparticipateine-Tendering.

3. Registrationofbidder:

 Anybidder willingtotakepartinthe process ofe-Tenderingwillhave tobe enrolledregisterediththe cam-Procurement system, through logging on tohttps://wbtenders.gov.in.

4. DigitalSignaturecertificate(DSC):

- Eachbidderisrequiredtoobtaina class-IIor Class-IIIDigital SignatureCertificate (DSC)for submission oftenders.
- **5.** The biddercansearchanddownloadNIT&Tender Documents electronicallyfrom the website mentionedinClause 3usingtheDigitalSignatureCertificate.Thisistheonlymode ofcollectionofTenderDocuments.

6. SubmissionofTenders:

Generalprocessofsubmission

Tenders are to be submitted online through the website https://wbtenders.gov.in. All the Documentsuploaded bythe Tender InvitingAuthorityformanintegral part ofthe contract.

Tenderers arerequiredtoupload allthetender documents alongwiththe other documents, as asked for, in thetender,throughtheabove websitewithinthestipulateddateandtimeas giveninthetender.Tenders aretobesubmittedintwofolders-oneisTechnicalProposalandtheotherisFinancialProposal.The tenderershallcarefullygothroughthedocumentsandpreparetherequireddocumentsanduploadthe scanneddocuments(credentials,certificates)inPortableDocumentFormat(PDF)totheportalinthe designatedlocationsofTechnicalBid. Thebidderneedstodownload theBOQ, fill upthe ratesofitemsin theBOQinthedesignatedCellanduploadthesameinthedesignatedlocationofFinancialBid. ThedocumentsuploadedshallbevirusscannedanddigitallysignedusingtheDigitalSignatureCertificate (DSC).Tenderersshouldtakenoteofalltheaddendum/corrigendumrelatedtothetenderandupload thelatestdocuments as part ofthetender.

6.2.Document tobesubmitted

i. Company Details

ii. Certificates:

- PAN Carddetails.
- Current Professional Tax(PT)submissionChallan. ApplicationforsuchAddressedtothe competent authoritymayalsobeconsidered.
- GSTregistration certificate.



$West Bengal State Electricity Distribution Company Limited {\scriptsize (AGOVT.OFWESTBENGALENTERPRISE)}$

(AGOVT.OFWESTBENGALENTERPRISE)
OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWI
P33/11KVSUB-STATIONCOMPLEX, GANESHPUR3⁸⁰GHERI,KAKDWIP
24PARGANAS(SOUTH)-743347(W.B)

E-MailID-dm.kakdwip@wbsedcl.in CorporateIdentityNo.(UN):U40109WB2007SGCI13473,Web:www.wbsedcl.in

iii. Financial Info:

Annualturnover for aperiodofthelast threefinancialyears.

iv. Credential:

 Documentsinsupport of supplyof thetendereditemstoWBSEDCL, inearlier occasions withinlast three financial years as mentioned below:

Value not less than 80% (eighty percent) of the tendered amount in a single contract duringlast 3 (Three)yearsinthejurisdictionofWestBengalState.

Or

Valuenotlessthan 50%(fiftypercent) ofthetenderedamount intwo contract (cumulatively) during last3(Three)yearsinthejurisdictionofWestBengalState.

Or

Value notlessthan 40% (fortypercent) of the tendered amount in threecontract(cumulatively)during last3(Three)years in the jurisdiction of WestBengal State.

- 2) SelfDeclarationcertificateasper Annexure 1. (mandatoryformat)
- Others: Anyother documents foundnecessary. Drawing of item to be supplied in detail containing Name of Company & Dimensions in SI system (in PDF format)
- 4) ISOCertificationisrequired.
- 7. Conditionalandincompletetender: Conditionalandincomplete

tendersareliabletosummaryrejection.

8. ValidityofTender and Offer: Theofferagainsttendershouldremainvalidforaminimumperiodof120days from the next day of opening of the tender. However, WBSEDCL may, on the merit of case, request for extension of validity of the offer for a further suitable period without any change in terms & conditions of the offer.

9. Openingandevaluation of tender:

OpeningofTechnical Proposal

- Technicalproposalswillbeopenedby the Tender Inviting Authority or his authorized Representative electronically from the website stated above, using their Digital Signature Certificate.
- TechnicalproposalsforthosetenderswhoseoriginalcopiesofBG towardstenderFee orEMDhavebeenreceivedwillonlybeopened.Proposalscorrespondingtowhich originalcopyofBGtowardstenderfeeorEMDhasnotbeenreceived,willnotbe openedandwillstandrejected.
- iii. Intendingtenderersmayremainpresentiftheysodesire.

Techno-commercialEvaluationofTender

- i. While evaluation, the Tender Inviting Authority or his authorized representative may summonthe tenderers and seek clarification/information or additional documents or original hard copy of any of the documents already submitted and if these cannot be produced within the stipulated time frame, their proposals will be liable for rejection.
- **ii.** The summary list of tenderers, whose bids will be found techno-commercially eligible, will be uploaded in the webportals. Date of opening of financial bid will be intimated to the Techno-commercially qualified tenderers.



$West Bengal State Electricity Distribution Company Limited \\ {\tt (AGOVT.OFWESTBENGALENTERPRISE)}$

(AGOVTOFWESTBENGALENTERPIKISE)
OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWI
P33/11KVSUB-STATIONCOMPLEX, GANESHPUR3^{RO}GHERI,KAKDWIP
24PARGANAS(SOUTH)-743347(W.B)

E-MailID-dm.kakdwip@wbsedcl.in
CorporateIdentityNo.(UN):U40109WB2007SGCI13473,Web:www.wbsedcl.in

OpeningandevaluationofFinancialProposal

- i. Financial proposals of the tenderers declared techno-commercially eligible, will be opened electronically by the Tender Inviting Authority from the webportal stated above on the prescribed date.
- ii. The encrypted copies will be decrypted and the rates will be read out to the bidders remainingpresentatthattime.
- iii. After openingofthefinancial proposalthepreliminarysummary resultcontaininginterlaid, nameofbiddersandtheratesquotedbythemwillbeuploaded.
- iv. The Tender Accepting Authority may ask any of the tenderer sto submit analysis to justify the rate quoted by that tenderer.
- v. Revision/withdrawal of Financial Proposal bythe bidder after opening of Technical Proposal of the tender will not be allowed if it is not sought by the Tender Inviting Authority.

10. AcceptanceofTender

 $Lowest\ valid rates hould normally be\ accepted. However, the Tender Accepting Authority does not\ bindhimselftod os oand\ reserves the right to reject any or all the tenders, for valid reasons.$

11. PurchaseOrder

WBSEDCLwill communicate acceptance oftender to the successful bidder by a Purchase Order. The successful tenderer shall communicate the acceptance of the purchase order.

12. Concession

Noprice preference will be allowedtoanytendererbasedonthe size of the industryor its geographic location. Co-operative Society will not be considered with separate status.

13. HolidayListingandVendorRating

HolidayListing&VendorRatingwillbeapplicableaccordingtothe"HolidayListing&VendorRating"policiesofthe RevisedPurchasePolicy,whichis postedinwebsite ofWBSEDCL(www.wbsedcl.in). Performance ofthe bidders, whosupplied materials/equipment toWBSEDCLpreviously,will be evaluated for their Vendor Ratingaccordingtothe saidVendor Ratingpolicyand their Vendor Rating will betakeninto considerationat thetime of evaluation of Technical and FinancialProposalsofthetender.

14. ReturnofEarnestMoneyoftheunsuccessfultenderer(s)

For unsuccessful bidders, the Earnest Moneyassubmitted against the tender shall be refunded automatically, through an automated process, by NIC portal after completion of tendering process. For successful bidders, the Earnest Moneyas submitted against the tendershall be refunded by WBSEDCL on following the due procedures. The Earnest Money of all tenderers other than the successful tenderer (s) may be refunded, after is suance of Purchase Order to the successful tenderer (s).

DE&DivisionalManager, Kakdwip Division, WBSEDCL



WestBengalStateElectricityDistributionCompanyLimited

(AGOVTOFWESTBENGALENTERPRISE)

OFFICEOFTHEDIVISIONALMANAGER,KAKDWIPDIVISIONKAKDWIP

33/11KVSUB-STATIONCOMPLEX, GANESHPUR3^{RO}GHERI,KAKDWIP


24PARGANAS(SOUTH)-743347(W.B)

E-MailD-dm.kakdwip@wbsedcl.in
CorporateIdentityNo.(UN):U40109WB2007SGCI13473,Web:www.wbsedcl.in

Annexure 1

SelfDeclaration

I/Weonbehalfof	(Nameofbidderagency)do
herebydeclarethatI/Wehave quotedrat	eforsupplyofthementionedmaterials forthee-tenderid
KD/E-TENDER/MAT/23-24/	dated:
I/We also declare that I/We shall succe	essfully complete the work in scheduled time maintaining the
terms&conditionsofWarrantyofNITCla	useno.17ifrankedasLIbidderofthetender.
	Yoursfaithfully,
	Signature ofauthorizedbidder
	with official seal



WEST BENGAL STATE ELECTRICITY DISTRIBUTION COMPANY LIMITED

Technical Specification of 'LT DISTRIBUTION KIOSK FOR 100 KVA / 63 KVA DTR WITH DOUBLE FEEDER' suitable for installation on pole mounted DTR Sub-Station structure for safeguard & protection of DTR LT side fuse unit system in the existing or new DTR's pole mounted structure.

SCOPE:-

The LT DISTRIBUTION KIOSK FOR 100 KVA / 63 KVA DTR WITH DOUBLE FEEDER/ Panel will be used for installation of fuse unit connected with I/C and O/G cable, suitable for safeguard & protection of DTR LT side fuse unit system with DTR's pole mounted structure.

LT Kiosk Box for distribution sub-station of size: 1000 x 690 x 300 mm, made of 18 swg ISI marked CRC Sheet with provision of fixing of incoming and outgoing fuse system. EC Grade Aluminium Bus-Bar of size: phase 50x10x250 mm- 03 nos. 50x10x175 mm- 06 nos. neutral 50x10x350 mm- 01 nos. cable holding aluminium clamp 50x10x55 mm- 12 nos. fitted with porcelain Bus-Bar Insulator with nut-bolt. Box should invariably be painted with ISI marked one coat red oxide and double coated synthetic enamel gray paint. (As per drawing enclosed) Material Code: 0407010741.

Fabrication of Kiosk should have to be made as per drawing as annexed with the tender specification. Fresh final drawings considering the above are to be submitted along with the quotation against the tender for examination and further necessary action. Consideration of tolerance for fabrication may be $\pm 5\%$.

Some features to be incorporated in the Kiosk/ Panel are detailed bellow:-

1. MOUNTING ARRANGEMENT OF THE KIOSK

The Kiosk/ Panel shall be of backside (Iron support of the structure) mounted type with arrangement of fixing on the backside channel or angle with nuts & bolts. The Name and Property label should be fixed in front of the kiosk. The name and property labels should be given in the anodised Aluminium Sheet of gauge suitable size with proper fixing. A 'Danger sign marked' stating 400 V should be painted on the box with red colour to concern people.

2. ENTRY & EXIT OF THE CABLE

One opening in the left side, one opening in the right side and another in the middle as per drawing on the bottom cover of the kiosk chamber shall be provided for entry and exit of the power cables into & out of the kiosk chamber. Three no's hole are in size 100 mm diameter each. One in the middle is for incoming cable and other two in two sides nearest to the edge of the bottom surface are for outgoing cable. Two end side holes should be at a distance of 100 mm from edge and the other one in the middle of the bottom surface as shown in the drawing. Cable (1 no I/C & 2 no O/G) glands should be provide for proper finishing of collar so that cable should not be damaged or cut by the collar of the sheet metal.

3. TOP ROOF OF THE KIOSK

Top roof of the kiosk are to be made incline by downing one side 30 mm from the horizontal line. And the canopy should be 35 mm. There should be no hole, entry or joint in the rooftop.

4. MOUNTING OF BUS BARS

Bus-Bar of size: for phase 50x10x250 mm- 03 nos.; 50x10x175 mm- 06 nos.; neutral 50x10x350 mm- 01 nos.; cable holding aluminium clamp 50x10x55 mm- 12 nos.; fitted with porcelain Bus-Bar Insulator with nut-bolt. Aluminium bus bars having current carrying capacity of 300 Ampere or more are to be provided. The gap between the back plate on which the bus bar will be fixed on suitable 550 Volt grade porcelain insulator are to be maintained, first R Phase at 80 mm distance from the back wall, Y Phase at 150 mm distance from the back wall & B Phase at 220 mm distance from the back wall and then Neutral at 60 mm distance from the back wall as shown in the drawing. The gap should be maintained between the bus-bar and from the kiosk wall to bus-bar are minimum 150 mm.

5. MOUNTING OF CABLE CONNECTOR

Cable holding aluminium clamp 50x10x55 mm- 12 nos required to be fitted as shown in the drawing. The extruded cable connector is to be at length 55 mm and to be fitted with bus bar plate by 4 end nut bolt tightening system. The diameter of the hole for providing nut-bolt, in the bus-bar or in the connector plate should be 6 mm. A hole of 6 mm should be provided in the middle of the four nos hole in the bus bar also, thus if required in future we can connect socketing Cable end in the bus-bar by nut bolt. Connection is to be provided at the both end side of the O/G bus-bar and in the middle of the I/C bus-bar as shown in the drawing.

6. MOUNTING OF FUSE

Mounting arrangement of 6 nos of fuse should be fixed with nut bolt arrangement with proper tightening.

7. DOOR

Fixing arrangement of doors of the kiosk box shall be as per drawing and shall be so made that the same can be removed as and when necessary. The doors are to be opened 180 degree so that the workers can work properly and no obstacles arise during work. Two nos handle as shown in the drawing are to be provided for opening the door.

8. SAFETY EARTHING

Earthing of current free metallic parts or metallic bodies of the equipments of the kiosk shall be done with soft drawn single conductor or bar of copper. Provision shall be made at two pints at bottom of the panel for earth connection of the panel with the earthing system as shown in the drawing.

9. LOCKING OF THE KIOSK CHAMBER DOOR

To closed the Kiosk Chamber a Hatch bolt shall be provided to closed the two doors together and for locking a aldrop shall be provided.

10. STRIPES WITH INSCRIPTIONS

In the both side of the kiosk chamber two nos louvers (1 no each side) containing 3 nos inscriptions each side are to be provided as shown in the drawing for the purpose of air circulation.

11. FINISHING AND PAINTINGS

The metering panel shall be dust and vermin proof. All furnished surface of the steel panel and frame works shall be thoroughly cleaned. The exterior and interior surfaces of the kiosk including all metal parts shall be painted with 3 coats of paints. The first coat should invariably be painted with ISI marked one coat red oxide and double coat with good quality synthetic enamel gray paint. The first coat is to serve as rust resisting primer; second coat is to serve as base and binder, the third coat shall be as finishing coat.

14. MARKING

A plate with marking of the following shall be fixed on the front door in suitable position

- Name of the supplier
- ii. Serial no of kiosk
- iii. Property of WBSEDCL
- iv. Year of manufacturer

15. PROTOTYPE SAMPLE

Before taking up bulk manufacturer by the successful tenderer, the prototype sample is to be offered for approval, if mentioned in the order.

Signature Not Verified
Digitallysignedby SUBHENDUBHAR Date: 2023.11.23 18:37:56 IST
Location: West Bengat-WB